



WWP - World-Wide Procedure

Global Specification for the Environment (GSE): Product Substances & Material Requirements

WWP-751707.005

Table of Contents

1. Purpose	3
2. Scope	3
3. Definitions	4
4. Document Control	5
5. List of Substances Restricted by Logitech	6
5.1 List of Substances Restricted under EU RoHS	6
5.2 List of additional Substances Restricted by Legislation in force	9
5.3 Additional Substances restricted by Logitech policy	15
5.3.1 Label requirement for the use of Latex (Natural rubber)	15
5.4 Declarable Substances	16
5.5 CMR substances of EU REACH regulation (entry 72)	18
5.6 China Volatile Organic Compound (VOC) Regulations	20
5.6.1 GB 30981-2020 Limit of harmful substances of industrial protective Coatings	20
5.6.2 GB 33372-2020 Limit of volatile organic compounds content in Adhesive	22
5.6.3 GB 38507-2020 Limits of volatile organic compounds (VOCs) in Printing inks	23
5.6.4 GB 38508-2020 Limits for volatile organic compounds content in Clean agents	25
6. Requirements for Demonstrating Compliance	26
7. Reference	27
7.1 Documents referenced by this document	27
7.2 Specification Changes history	27
8. Appendices: Families of substances	29
9. Testing for RoHS compliance	35
10. RoHS exemptions (summary)	36

1. Purpose

As part of Logitech commitment to health, safety and the environment, Logitech is responsible for ensuring that Logitech's products or parts, product-packaging and transport materials delivered to Logitech and some manufacturing processes used to make Logitech parts, are safe at any stage of production. We must monitor all harmful substances strictly and make sure that our products comply with regulations and further control potentially risky substances to reduce the impact on users and the environment.

2. Scope

This specification (GSE: Product Substances & Material Requirements) is one component of *WWP-750779.0000 "Logitech (GSE) General Specification for Environment Requirements"* This document establishes Logitech requirements for control of hazardous or toxic substances and materials in Logitech products and packaging. All of the requirements set out in this specification are defined by law or Logitech mandatory policy.

This specification applies to:

- All materials for use in Logitech Products and packaging.
- Logitech Suppliers, including relevant Component Suppliers and Joint Design Manufactures (JDMs).
- All Sites/Regions

This specification does not apply to:

- Workplace emissions WWP-751712

3. Definitions

The following defined terms and acronyms are used in this document.

Term	Definition
Logitech mandatory limits	It means that Logitech goes beyond regulatory requirements and spontaneously strengthens the control of certain hazardous substances based on best industry practices.
Threshold	It means maximum concentration value. When the threshold is reached, the further obligations will be implemented depending on the regulations.
Limits	The maximum concentration at which a restricted substance can be present. No exceedances are allowed.
Intentionally added	It means the deliberate use in the formulation of a product or subpart where its continued presence is desired in the final product or subpart to provide a specific characteristic, appearance or quality
Prohibited	Substances listed are not allowed to be present at or above detectable concentrations. Substances are not allowed to be intentionally or unintentionally added (due to impurities or recycled content) to the Product, packaging, label, etc.
CAS no.	It means unique numerical identifiers for chemical substances.
EC no.	It means a unique seven-digit identifier that was assigned to substances for regulatory purposes within the European Union by the European Commission.
Homogeneous materials	It means one material of uniform composition throughout or a material, consisting of a combination of materials, that cannot be disjointed or separated into different materials by mechanical actions such as unscrewing, cutting, crushing, grinding and abrasive processes. The definition is consistent with Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS).
Material	Materials are chemical substances and preparations that are supplied for the production of parts and Products (for example structural plastics, metals, coatings, paints, adhesives) and chemical substances or preparations that are shipped with Products, such as cleaners, lubricants, oils, and refrigerants.
ppm	This is an abbreviation for "parts per million" and it also can be expressed as milligrams per liter (mg/L). This measurement is the mass of a chemical or contaminate per unit volume of water.
Parts	An amount or section which, when combined with others, makes up the whole of the article or product.

Term	Definition
Battery or accumulator	Any source of electrical energy generated by direct conversion of chemical energy and consisting of one or more primary battery cells (non-rechargeable) or consisting of one or more secondary battery cells (rechargeable). This definition is from the EU Directive 2006/66/EC on batteries and accumulators and waste batteries and accumulators
Packaging	Material that is used to protect or contain a product during transportation, storage, marketing or use. Packaging also includes any item that is physically attached to, or included with, a product or it's contents for the purpose of marketing the product or communicating information about the product.

4. Document Control

This specification is subject to review and potential update a minimum of once annually and where necessary to ensure continued alignment with relevant legal requirements and international good practice.

5. List of Substances Restricted by Logitech

5.1 List of Substances Restricted under EU RoHS

Table 1 : Contains all RoHS substances that are restricted by the European Directive known as EU RoHS (Reduction of Hazardous Substances).

Restrictions in Table 1 apply to all homogeneous materials used in Logitech products, accessories, and packaging.
=>Where Logitech policy includes a substance limit, this limit is mandatory and applies without restrictions.

Substance category	CAS no. (EC no.)	References	Scope	Logitech mandatory limits	Examples of Use
Cadmium (Cd) and its compounds.	7440-43-9 Several	Regulation (EC) No 1907/2006; RoHS Directive 2011/65/EU China MII Methods; Korea RoHS; Japan J-MOSS; US/CA SB-20/50	All, except Battery	0.005% by weight (50 ppm) of cadmium in homogeneous materials	Pigment, anti-corrosion surface treatment, optical glass, plating, solder, electric contact, contact point, zinc plating, stabilizer,
		EU Battery Directive 2006/66/EC 2013/56/EU	All Battery Types, including accumulators.	≤0.002% by weight (20 ppm)	All Battery
			Non-removable batteries or accumulators	≤0.0005% by weight (5 ppm)	
			Alkaline Manganese; Alkaline Manganese dioxide, Zinc carbon, Zinc Manganese	≤ 0.001% by weight (10 ppm)	
Nickel Cadmium (Ni-Cd)	Prohibited				
Hexavalent chromium (Cr VI) and its compounds	18540-29-9 Several	China MII Methods Korea RoHS Japan J-MOSS US/CA SB-20/50 EPEAT USA RoHS Directive 2011/65/EU ANNEX XVII of REACH Regulation (EC) No 1907/2006	All, except Leather	Not Detectable by IEC 62321 boiling water test 0.05% by weight (500 ppm) of chromium (VI) in homogeneous materials Cr3+ plating processes is mandatory, ban Cr6+ plating processes	Plating, anti-corrosion surface treatment. Zinc chromate, screws passivation decorative surface treatment
		Leather	0.0003% by weight (3 ppm) of chromium (VI) in homogeneous materials	Leather	

Substance category	CAS no. (EC no.)	References	Scope	Logitech mandatory limits	Examples of Use
Lead (Pb) and its compounds	7439-92-1 Several 598-63-0 1319-46-6 7446-14-2 15739-80-7	China MII Methods Korea RoHS Japan J-MOSS US/CA SB-20/50 RoHS Directive 2011/65/EU ANNEX XVII of REACH Regulation (EC) No 1907/2006	All, except Battery	0.1% by weight (1000 ppm) of lead in homogeneous materials	Tin solder materials, pigment, paint, inks, lubricant, free-machining alloy, free-cutting steels, optical materials, curing agent, vulcanizing agent, ferroelectrics. Rubber hardener,
				≤ 0.009% by weight (90 ppm) of lead in homogeneous PVC, plastic, ink, display and paint materials. Lead Carbonates and Lead sulphates shall not be placed on the market, or used, as substances or in mixtures, where the substance or mixture is intended for use as paint.	Pigment, paint, inks, rubber hardener.
		EU Battery Directive 2006/66/EC 2013/56/EU	All Battery	≤0.004% by weight (40 ppm)	All Battery
Mercury (Hg) and its compounds	7439-97-6 (231-106-7) Several	RoHS Directive 2011/65/EU China MII Methods; Korea RoHS; Japan J-MOSS; US/CA SB-20/50 Vermont management of exposure to mercury Rhode Island General Laws 23- 24.9 and amendment of 2007 Louisiana Mercury Risk Reduction Act	All, except batteries	Not intentionally added or 0.1% by weight (1000 ppm) of mercury in homogeneous material.	Fluorescent bulb, contact point material, pigment, anti-corrosion, switches, Antibacterial treatment.
			All Battery Types, including accumulators.	Not intentionally added	All Battery
			Non-removable batteries or accumulators	≤0.0005% by weight (5 ppm)	
			EU Battery Directive 2006/66/EC 2013/56/EU Alkaline Manganese; Alkaline Manganese dioxide, Zinc carbon, Zinc Manganese	≤0.0001% by weight (1 ppm)	
Button Cell	Prohibited				

Substance category	CAS no. (EC no.)	References	Scope	Logitech mandatory limits	Examples of Use
Polybrominated biphenyls (PBBS)	59536-65-1 Several	RoHS Directive 2011/65/EU and 2005/618/EC; China MII Methods; Korea RoHS; Japan J-MOSS	All	Not intentionally added or 0.1% by weight (1000 ppm) in homogeneous material	Flame retardant
Polybrominated diphenyl ethers (PBDEs)	1163-19-5 Several	RoHS Directive 2011/65/EU and 2005/618/EC; China MII Methods; Korea RoHS; Japan J-MOSS, Japan Law concerning the evaluation of chemical substances.	All	Not intentionally added or 0.1% by weight (1000 ppm) in homogeneous material	Flame retardant in polymers Packaging materials.
Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7 (204-211-0)	RoHS Directive 2011/65/EU California Prop 65 Annex XIV, XVII REACH US CPSIA, EU Toys	All	0.1% by weight (1000 ppm) in any homogeneous material for each single phthalate.	PVC on wires, cables, insulation materials. Transparent films made of PVC, PU, flexible materials.
Dibutyl phthalate (DBP)	84-74-2 (201-557-4)				
Benzyl butyl phthalate (BBP)	85-68-7 (201-622-7)				
Diisobutyl phthalate (DIBP)	84-69-5 (201-553-2)				

5.2 List of additional Substances Restricted by Legislation in force

TABLE 2 : Contains other substances that are restricted by one or more legislations around the world. Listed substances or families of substances shall not be present inside components, sub-assemblies or products above the specified concentration limit (threshold).

Restrictions in Table 1 apply to all homogeneous materials used in Logitech products, accessories, and packaging.

=>Where a Logitech voluntary restricted threshold is specified for a given substance, this mandatory limit applies without restrictions, even when this threshold is set below the limit found in RoHS or in the most stringent legislation.

Substance category	CAS no. (EC no.)	References	Scope	Logitech mandatory limits	Examples of Use
Antimicrobial & Biocidal substances	Several https://echa.europa.eu/regulations/biocidal-products-regulation/understanding-bpr	EU No. 528/2012 (BPR) US EPA	All	Exceptional approvals may be granted following special review of specific biocides by Logitech	Additive in polymers, leather, external parts and other coated materials
Arsenic (As) compounds	7440-38-2 Several	[Japan PRTR; EU 2009/251/EC (wood)] ANNEX XVII of REACH Regulation (EC) No 1907/2006	All Semiconductors are exempt.	Prohibited for treated wood. (packaging) 0.1% by weight (1000 ppm) in any homogeneous material	Display glass. Ceramic, wood preservative Packaging materials.
Asbestos and its compounds	Appendix A	ANNEX XVII of REACH Regulation (EC) No 1907/2006; US TSCA; Swiss Ordinance on Reduction of Risk from Chemical Products	All	Prohibited	Insulator, filler, pigment, paint, talc
Azocolourants and Azodyes (Azo compounds)	Appendix B	ANNEX XVII of REACH Regulation (EC) No 1907/2006	Textiles and leather	0.003% by weight (30 ppm) of the finished textile/leather product (22 Azo compounds)	Pigment, dyes, colorants
Bisphenol A	80-05-7	ANNEX XVII of REACH Regulation (EC) No 1907/2006	Thermal paper	≤ 20 ppm by weight	
Chlorinated Paraffins, Short Chain (SCCP)	Appendix C	REACH POPs Regulation (EU) 2019/1021 Norway Product Regulations FOR-2004-06-01-922; Swiss Ordinance on Reduction of Risk from Chemical Products. Stockholm Convention on Persistent Organic Pollutants EPA	All	0.1% by weight (1000 ppm) of the product.	Plasticizer for PVC, paints, adhesives and sealants; plastics and rubber, flame retardants and textiles and polymeric materials
DecaBDE	1163-19-5	EPA, TSCA section 6(h)	All	Prohibited	Additive flame retardant
Dimethyl fumarate (DMFu)	624-49-7 (210-849-0)	ANNEX XVII of REACH (COMMISSION DECISION 2009/251/EC) Entry 61	All	0.00001% by weight (0.1 ppm) in a material	Biocide, mold treatment of electronic, leather products, mixed with dessicant Packaging materials.

Substance category	CAS no. (EC no.)	References	Scope	Logitech mandatory limits	Examples of Use
Ethylene Glycol Ethers	Various	GB 30981-2020	All	Less than 1%	Used as solvent
Elemental Chlorine	7782-50-5 Several	IEEE 1680.1-2018	Packaging	Prohibited in certain applications Elemental chlorine shall not be used as a bleaching agent to bleach virgin or recovered content fiber used in paper-based and fiber-based packaging	Paper-based and fiber-based packaging
Expanded Polystyrene (EPS)		Logitech Policy	Packaging	Prohibited	Loose-fill Expandable Polystyrene (commonly known as "Styrofoam packing peanuts") Packaging materials
Fluorinated greenhouse gases (GHG, F-gases) (PFC, SF6, HFC)	Appendix D	EU Reg. No 517/2014	All	Prohibited	Refrigerants, blowing agents, extinguishing agents, cleaning agents, insulating media, caustic gas. Packaging materials
Formaldehyde	50-00-0 (200-001-8)	U.S. EPA TSCA Title VI CARB Rule Germany-ChemVerbotsV	Composite wood products or components	In composite wood CARB phase 2 PB 0.09 ppm MDF 0.11 ppm ThinMDF 0.13 ppm HWPW 0.05 ppm ≤ 0.1 ppm (DIN EN 16516)	Speaker subwoofer Stereo cabinets, kiosk enclosures Packaging materials.
		Austria - BGB I 1990/194: Formaldehydverordnung, 2, 12/2/1990; GB 18401-2003/2005, China; GB 20400-2006, China Lithuanian Hygiene Norm HN 96:2000 (Hygiene standards and regulations) ANNEX XVII of REACH Regulation (EC) No 1907/2006 Entry 72	Textiles	In textiles Textiles 0.0075% by weight (75 ppm) of textile product.	Textiles
Heavy metals Cd, Cr6+, Pb and Hg	7440-43-9 18540-29-9 7439-97-6 7439-92-1	Regulation (EC) No 1907/2006 China MII Methods; Korea RoHS; Japan J-MOSS; US/CA SB-20/50 TPCH	Packaging	The total concentration of all four heavy metals in packaging shall not exceed 0.01% (100 ppm) by weight, at the homogeneous level	Packaging materials
Hexabromocyclododecane (HBCDD)	25637-99-4 3194-55-6 134237-50-6 134237-51-7 134237-52-8	ANNEX XVII of REACH Regulation (EC) No 1907/2006 REACH POPs Regulation (EU) 2019/1021	Plastics, PVC, PCB SVHC	Prohibited or not intentionally added (100 ppm)	Flame retardant in PVC, connector housing.

Substance category	CAS no. (EC no.)	References	Scope	Logitech mandatory limits	Examples of Use
Hexachlorobutadiene (HCBD)	87-68-3	EPA, TSCA section 6(h)	All	Prohibited	Primarily generated as a by-product of the manufacture of chlorinated hydrocarbons
Mineral Oil (MOSH & MOAH)	Several	Article D543-45-1 of the environment code	Ink, glue in packaging materials	Prohibited	Inks and glue in cardboard-paper packaging Pretty box, manual, label... etc.
Nickel (Ni) and its compounds	7440-02-0 Several	ANNEX XVII of REACH Regulation (EC) No 1907/2006	All, where prolonged skin contact is expected	Release greater than 0.5 µg/cm ² /week must not be used on the external surface of any product part designed to be frequently handled or touched while carrying the product (or intended to be in direct and prolonged skin contact)	Stainless steel, plating; example application for prolonged skin contact is headphone, mobile phone, buttons and keys.
Oxo-biodegradable Plastics		Directive 2019/904	Packaging	Prohibited	Packaging materials
Ozone depleting substances (ODS) (CFCs, halons, HBFCs, HCFCs)	Appendix E	EU EC No. 2037/2000 EC 1005/2009 US Clean Air Act Montreal Protocol EC No. 2037/2000	All	Prohibited	Added refrigerant, foaming agent, extinguishant, solvent cleaner. Packaging materials.
Pentachlorophenol (PCP)	87-86-5 (201-778-6)	94/783/EC ANNEX XVII of REACH Regulation (EC) No 1907/2006 (EU) No 276/2010	Textile and Leather	Prohibited	Textile Bactericide in leather tanning and textiles; biocide for wood. Packaging materials.
Pentachlorothiophenol (PCTP)	133-49-3	EPA, TSCA section 6(h)	All	≤ 1 % by weight	Is used to make rubber more pliable in industrial uses
Perfluoroalkyl and polyfluoroalkyl substances (PFAS)	Appendix F	TPCH	Packaging	Not detectable	Packaging materials or packaging component.
Perfluorooctanoic acid (PFOA), and its salts and related substances	Appendix G	2004-06-01 Nr 922 (Section 2-32) ANNEX XVII of REACH Regulation (EC) No 1907/2006 amended by EU 2017/1000 Logitech Policy REACH POPs Regulation (EU) 2020/784 TPCH	All	Prohibited	Packaging materials
				≤ 25 ppb for PFOA and any of its salts ≤ 1 ppm for each PFOA-related compound and a combination of PFOA-related compounds ≤ 1 ppm for PFOA and its salts in PTFE micropowders produced by specified techniques.	Emulsion stabilizer in plastic part

Substance category	CAS no. (EC no.)	References	Scope	Logitech mandatory limits	Examples of Use
Perfluorooctane Sulfonates (PFOS) and compounds	Appendix H	REACH POPs Regulation (EU) 2019/1021 TPCH	All	Prohibited	Packaging materials
				≤ 10 ppm in substances or in mixtures. ≤ 0.1% in semi-products or Articles. < 1 µg/m ² textile or coating materials	Antistatic agent for films and plastics, textiles
Phenol,2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dimethylethyl)	3846-71-7 (223-346-6)	ANNEX XVII of REACH Regulation (EC) No 1907/2006 Japan (Law Concerning the Examination and Regulation of Manufacture)	All	Prohibited	Adhesives, paints, printing inks, plastics, inked ribbons, putty, caulking or sealing fillers
2,4,6-Tris(tert-butyl)phenol (2,4,6-TTBP)	732-26-3	EPA, TSCA section 6(h)	All	≤ 0.3% by weight	An intermediate/reactant in processing
Phthalates (DEHP, DBP, BBP, DIBP, DIDP, DnHP, DNOP, DINP, DMEP, DnPP)	Appendix I	Annex XIV, XVII of REACH US CPSIA, EU Toys Logitech Policy	All Mandatory for all new products designed after August 2012	0.1% by weight (1000 ppm) in any homogeneous material for each single phthalate. The total concentration of phthalates in packaging shall not exceed 0.01% (100 ppm) by weight, at the homogeneous level	PVC on wires, cables, insulation materials Transparent films made of PVC. PU. flexible materials. Packaging materials.
Phenol, isopropylated phosphate (3:1) (PIP (3:1))	68937-41-7	EPA, TSCA section 6(h)	All	Prohibited	Plasticizer, a flame retardant, an anti-wear additive, or an anti-compressibility additive in hydraulic fluid, lubricating oils, lubricants and greases, various industrial coatings, adhesives, sealants, and plastic articles.
Polychlorinated biphenyls (PCBs) and specific substitutes	1336-36-3 Several	Japan Law concerning the evaluation of chemical substances; Directive 96/59/EC US TSCA. REACH POPs Regulation (EU) 2019/1021	All	Prohibited	Insulation oil, lubricant oil, electrical insulation medium, solvent, electrolytic solution; plasticizers, flame retardants, dielectric sealants
Polychlorinated naphthalenes (PCNs) (more than 3 chlorine atoms)	70776-03-3 Several	Japan Law concerning the evaluation of chemical substances	All	Prohibited	Lubricant, paint, stabilizer (electric characteristic, flame-resistant, water resistant) insulator, flame retardant.
Polychlorinated terphenyls (PCTs)	61788-33-8 Several	ANNEX XVII of REACH Regulation (EC) No 1907/2006	All	0.005% by weight (50 ppm) in homogeneous material.	Insulation oil, lubricant oil, electrical insulation medium, solvent, electrolytic solution; plasticizers, flame retardants, coatings for electrical wire and cable, dielectric sealants

Substance category	CAS no. (EC no.)	References	Scope	Logitech mandatory limits	Examples of Use
Polycyclic aromatic hydrocarbons (PAHs)	Appendix J	2019 GS-mark certification requirement ANNEX XVII of REACH Regulation (EC) No 1907/2006 Entry 50	Plastics, cable and rubbers External parts only	(GS mark certification) Use by children under 14 individual ≤ 0.2 ppm Sum of 15 PAHs less than 5 ppm Other consumers individual ≤ 0.5 ppm Sum of 15 PAHs less than 10 ppm (REACH) Each PAHs in below ≤ 1 ppm 1 Benzo[a]pyrene 2 Benzo[e]pyrene 3 Benzo[a]anthracene 4 Chrysen 5 Benzo[b]fluoranthene 6 Benzo[j]fluoranthene 7 Benzo[k]fluoranthene 8 Dibenzo[a,h]anthracene And Sum of 15 PAHs less than 10 ppm	Plastics, cable and rubbers...etc external parts
Radioactive substances	Several	EU-D 96/29/Euratom; Japan Law for the Regulation of Nuclear Source Material, Nuclear Fuel Material and Reactors, 1986; Japan Law Concerning Prevention from Radiation Hazards; US NRC;	All	Prohibited	Optical properties (thorium), measuring substances devices, gauges, detector
REACH Annex XVII	Search for the latest substance restriction on the ECHA website https://echa.europa.eu/substances-restricted-under-reach	REACH 1907/2006 and amendments	All	As the restriction on the list	REACH, Annex XVII
Organotin Compounds					
Dibutyltin (DBT) compounds	Appendix K	ANNEX XVII of REACH Regulation (EC) No 1907/2006 (EU) No 276/2010	All	The equivalent 0.1% by weight (1000 ppm) of tin in a material	Stabilizer for PVC, curing catalyst for silicone resin and urethane resin

Substance category	CAS no. (EC no.)	References	Scope	Logitech mandatory limits	Examples of Use
Diocetyl tin (DOT) compounds	Appendix K	Commission Regulation (EU) No 276/2010 ANNEX XVII of REACH Regulation (EC) No 1907/2006	- textile and leather articles intended to come into contact with the skin, - two-components room temperature vulcanisation moulding kits (RTV-2 moulding kits)	The equivalent 0.1% by weight (1000 ppm) of tin in a material	Stabilizer for PVC, curing catalyst for silicone resin and urethane resin
Tributyltin oxide (TBTO)	56-35-9 (200-268-0)	Japan Law concerning the evaluation of chemical substances Article 33 and 7.2 of REACH Regulation (EC) No 1907/2006 (Candidate list of SVHC for authorization 28.10.2008)	All	Not intentionally added or 0.1% by weight (1000 ppm) of tin in a material	Antiseptic, antifungal agent, paint, pigment, anti-staining, refrigerant, foaming agent, extinguishant, solvent cleaner
Tri-substituted organostannic compounds such as: Tributyltin (TBT), Triphenyltin (TPT) compounds (organotin compounds)	Appendix K	ANNEX XVII of REACH Regulation (EC) No 1907/2006 and Commission Regulation (EU) No 276/2010; Japan Law concerning the evaluation of chemical substances; Norwegian product regulation	All	0.1% by weight (1000 ppm) in a material	Stabilizer, antioxidant, antibacterial and antifungal agents, antiseptic, catalyst in paints and coating, pigment, anti-staining
Tris(aziridinyl)phosphin oxide	5455-55-1	ANNEX XVII of REACH Regulation (EC) No 1907/2006	Textile	Prohibited	Textile

5.3 Additional Substances restricted by Logitech policy

TABLE 3: Contains additional substances that are not restricted by legislation in force, but for which Logitech and / or the Consumer Electronic Industry want to reduce or restrict the usage to a given concentration limit, on a voluntary and mandatory basis. Substances or families of substances listed in Table 3 shall not be present inside components, sub-assemblies or products above the specified concentration limit (threshold).

=>Where a Logitech voluntary restricted threshold is specified for a given substance, this mandatory limit applies without restrictions, even when this threshold is set below the limit found in RoHS or in the most stringent legislation.

Substance category	CAS no. (EC no.)	References	Scope	Logitech Voluntary & mandatory limits	Examples of Use
Beryllium oxide (BeO)	1304-56-9 (215-133-1)	IEC 62474	All	0.1 wt% (1000 ppm) of product	Ceramics
n-Hexane	110-54-3 (203-777-6)	2006/15/EC Occupational safety & health administration, Department of Labor, U.S.A. Occupational exposure limits for hazardous agents in the workplace, Chemical hazardous agents, China	All	Prohibited for Cleaning agents, degreasers, demolder solutions in all manufacturing processes	Used as a cleaner to clean the product surface.
Latex Natural rubber	None	None	All	Intended to come into contact with the skin is prohibited Refer to 5.3.1 for Labeling requirement	Mouse mate, elastic parts,
Polyvinyl chloride (PVC)	9002-86-2 (208-750-2)	JIG-101 ed 4.0, IEEE 1680 (EPEAT)	All	Prohibited (1) hard plastic parts (2) packaging material. (3) Flexible parts restrict PVC on external parts (ref. to Logitech PVC Free policy)	Insulator, transparency material, plastic films, tapes, suction cups. Packaging materials.
Zinc-air button cell battery		Maine Act Concerning Mercury-added Button Cell Batteries	Zinc-air button cell battery	Prohibited	

5.3.1 Label requirement for the use of Latex (Natural rubber)

Use of natural rubber shall bear the following statement in bold print on the packaging. Following statement shall appear on the outside package, container or wrapper.

"Products containing Natural Rubber Latex may cause allergic reactions in some individuals"

5.4 Declarable Substances

TABLE 4: Contains more additional substances, not yet regulated, but either known as being hazardous for humans or the environment, or candidate for coming regulations. Even if not restricted, the presence of those substances inside components, sub-assemblies or products shall be disclosed to Logitech when the concentration is above the threshold level/Reporting level for declaration.

=>A declared substance to be reported is not limited to this table, and all substances required to be declared by any regulation must be complied with.

Substance category	CAS no. (EC no.)	References	Scope	Threshold level / Reporting level	Examples of Use
Antimony (Sb) and its compounds	7440-36-0 Several	None	Plastic polymers, epoxys,	0.1% by weight (1000 ppm) in homogeneous material	Fire retardant (Sb2O3)
Beryllium (Be) and its compounds except BeO	7440-41-7 Several	IEC 62474 IEEE 1680 (EPEAT)	All	0.1% by weight (1000 ppm) in homogeneous material	Be-Cu alloys,
Bismuth (Bi) and its compounds	7440-69-9 Several	None	Lead free solder	0.1% by weight (1000 ppm) in homogeneous material	Lead free solder
Boric Acid	10043-35-3	CLP Regulation Annex VI	Packaging	0.1 % by weight (1000 ppm) in homogenous material	Wood veneers/ pressed wooden panels Packaging materials.
Chlorinated flame retardant (CFR)	Various	DIGITALEUROPE 2/CECED/AeA 3/ EERA guidance Halogen Free / BFR free initiatives	All, except PCB	0.1% by weight (1000 ppm) in homogeneous material. 0.09% by weight (900 ppm) in homogeneous material for PCB laminates	Epoxy and plastics PCB, epoxy, plastics
Cobalt dichloride (CoCl2)	7646-79-9	REACH SVHC	All, except Battery	1000 ppm	silica gel desiccants and humidity indicators
Other brominated flame retardants (BFR) (other than PBBs, PBDEs & HBCDD)	Various	DIGITALEUROPE 2/CECED/ AeA 3/ EERA guidance Halogen Free / BFR free initiatives	All	0.09% by weight (900 ppm) in homogeneous material	Plastic parts > 25g, wires & cables theathing, labels... etc PCB, epoxy, plastics
Others phthalates (others than BBP, DBP, DEHP, DINP, DIDP, DNOP, DIBP, DnHP, DMEP, DnPP)	Various	None	All	0.1% by weight (1000 ppm) of the homogeneous material	PVC cables & wires sheathing, flexible PVC materials
Selenium (Se) and its compounds	7782-49-2 Several	IEEE 1680 (EPEAT)	All	0.1% by weight (1000 ppm) of the homogeneous material	Anti-microbial coating in plastic products

Substance category	CAS no. (EC no.)	References	Scope	Threshold level / Reporting level	Examples of Use
Perchlorates	14797-73-0	California Code of regulations, Title 22, Division 4.5, Chapter 33	All Battery Types, including accumulators.	Labelling	
Long-Chain Perfluoroalkyl Carboxylate (LCPFACs) and Perfluoroalkyl Sulfonate	Appendix G & L	EPA TSCA 40 CFR part 721	All	Detectable	
Chlorinated Paraffins, Medium Chain (MCCP)	Various	EPA TSCA Section 5	All	All 0.1% by weight (1000 ppm) of the product.	Plasticizer for PVC, paints, adhesives and sealants; plastics and rubber, flame retardants and textiles and polymeric materials
Tetrabromobisphenol A (TBBPA)	79-94-7		All	All 0.1% by weight (1000 ppm) of the product.	Flame retardant use on electrical and mechanical components.
REACH Candidate list of SVHC	Search for the latest substance restriction on the ECHA website https://echa.europa.eu/candidate-list-table	REACH 1907/2006 and amendments	All	0.1% by weight (1000 ppm) of the homogeneous material	All materials
Prop 65 list of chemicals	Search for the latest substance restriction on the OEHHA website https://oehha.ca.gov/proposition-65/proposition-65-list	California Proposition 65	All	Detectable	DMFa for PU leather. Carbon black for Resin
IEC 62474 Substances	Search for the latest substance restriction on the IEC website https://std.iec.ch/iec62474/iec62474.nsf/Index?open&q=075159	IEC 62474 database on material declaration	All	Various, as required by standard	All materials

5.5 CMR substances of EU REACH regulation (entry 72)

TABLE 5: The restriction of 33 CMRs in clothing, textiles and footwear is set out in entry 72 of Annex XVII to REACH by Regulation (EU) 2018/1513. The scope of entry 72 applies to textiles that are expected to be in contact with human skin under normal or reasonably foreseeable conditions of use:

Substance category	CAS no. (EC no.)	Threshold level / Reporting level	Analytical method	
Cadmium (Cd) and its compounds (listed in Annex XVII, Entry 28, 29, 30, Appendices 1-6)	-	1 mg/kg after extraction (expressed as Cd metal that can be extracted from the material)	EN 16711-2:2015	
Chromium VI (CrVI) compounds (listed in Annex XVII, Entry 28, 29, 30, Appendices 1-6)	-	1 mg/kg after extraction (expressed as Cr VI that can be extracted from the material)	EN ISO 17075-1:2017; EN ISO 17075-2 :2017 DIN 38405; Oekotex ST 201 M10ML102017	
Arsenic (As) compounds (listed in Annex XVII, Entry 28, 29, 30, Appendices 1-6)	-	1 mg/kg after extraction (expressed as As metal that can be extracted from the material)	EN 16711-2:2015	
Lead (Pb) and its compounds (listed in Annex XVII, Entry 28, 29, 30, Appendices 1-6)	-	1 mg/kg after extraction (expressed as Pb metal that can be extracted from the material)		
Benzene	71-43-2	5 mg/kg	e.g. VDA 278	
Benz[a]anthracene	56-55-3	1 mg/kg (each)	AFPS GS 2014	
Benz[e]acephenanthrylene	205-99-2			
benzo[a]pyrene; benzo[def]chrysene	50-32-8			
Benzo[e]pyrene	192-97-2			
Benzo[j]fluoranthene	205-82-3			
Benzo[k]fluoranthene	207-08-9			
Chrysene	218-01-9			
Dibenz[a,h]anthracene	53-70-3			
$\alpha,\alpha,\alpha,4$ -tetrachlorotoluene; p-chlorobenzotrichloride	5216-25-1			DIN 54232:2010
α,α,α -trichlorotoluene; benzotrichloride	98-07-7			
α -chlorotoluene; benzyl chloride	100-44-7			

Substance category	CAS no. (EC no.)	Threshold level / Reporting level	Analytical method
Formaldehyde	50-00-0	75 mg/kg	EN ISO 14184-1:2011 ISO 17226-1:2008
1,2-benzenedicarboxylic acid; di- C 6-8-branched alkylesters, C 7- rich	71888-89-6	1000 mg/kg (individually or in combination with other phthalates in this entry or in other entries of Annex XVII that are classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 in any of the hazard classes carcinogenicity, germ cell mutagenicity or reproductive toxicity, category 1A or 1B	EN ISO 14389:2014
Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8		
Diisopentylphthalate (DIPP)	605-50-5		
Di-n-pentyl phthalate (DnPP)	131-18-0		
Di-n-hexyl phthalate (DnHP)	84-75-3		
N-methyl-2-pyrrolidone; 1- methyl-2-pyrrolidone (NMP)	872-50-4	3000 mg/kg (each)	CEN ISO/TS 16189:2013
N,N-dimethylacetamide (DMAC)	127-19-5		
N,N-dimethylformamide; dimethyl formamide (DMF)	68-12-2		
1,4,5,8-tetraaminoanthraquinone; C.I. Disperse Blue 1	2475-45-8	50 mg/kg (each)	DIN 54231:2005
Benzenamine, 4,4'-(4-iminocyclohexa-2,5-dienylidenemethylene)dianiline hydrochloride; C.I. Basic Red 9	569-61-9		EN ISO 16373-2:2014 DIN 54231:2005
[4-[4,4'-bis(dimethylamino)benzhydrylidene]cyclohexa-2,5-dien- 1-ylidene]dimethylammonium chloride; C.I. Basic Violet 3 with ≥ 0,1 % of Michler's ketone (EC no. 202-027-5)	548-62-9		
4-chloro-o-toluidinium chloride	3165-93-3	30 mg/kg (each)	EN ISO 14362:2017
2-Naphthylammoniumacetate	553-00-4		
4-methoxy-m-phenylene diammonium sulphate; 2,4-diaminoanisole sulphate	39156-41-7		
2,4,5-trimethylaniline hydrochloride	21436-97-5		
Quinoline	91-22-5	50 mg/kg	Extraction with methanol or THF, analysis by HPLC- MS/MS or HPLC-DAD

5.6 China Volatile Organic Compound (VOC) Regulations

China VOC regulations are mandatory requirements under Chinese law and cover a wide range of topics. Four of the standards relate to coatings, adhesives, inks and cleaning agents and are specifically relevant to Logitech standards.

Suppliers are required to comply with all relevant legal requirements, including and more particularly, the following standards. Please refer to each standard for more details on specific requirements.

GB standard	Standard name	Implement date
GB 30981-2020	Limit of harmful substances of industrial protective Coatings	2020-12-01
GB 33372-2020	Limit of volatile organic compounds content in Adhesive	
GB 38507-2020	Limits of volatile organic compounds (VOCs) in Printing inks	
GB 38508-2020	Limits for volatile organic compounds content in Clean agents	2020-04-01

5.6.1 GB 30981-2020 Limit of harmful substances of industrial protective Coatings

The standard specifies the product classification, requirements, test methods, inspection rules, packaging labels, and implementation of standards involved in the allowable limits of substances harmful to humans and the environment in industrial protective coatings. This standard applies to all types of industrial protective coatings (except ship coatings) that protect the surfaces of metals, concrete, plastics, etc.

Exemptions: Special functional coatings refer to insulating coatings, anti-fingerprint coatings for touch screens and optical plastic sheets, and PTFE coatings sintered at a high temperature above 150°C (chemical medium resistance, wear resistance, lubrication, no Adhesive, functional), fluorosilicone paint for elastomers, silver electroplating effect paint (radiation curing type), marking paint, electronic component protection paint (anti-acid mist, dust and moisture and other special functions).

TABLE 6 :
Limit of harmful substances of industrial protective Coatings

Coating (Paint)		Solvent-based	Solvent-free coatings	Water-based	Radiation curing- Water base	Radiation curing- Non water base
VOC (g/L)	Coatings for electrical and electronic products	Primer ≤ 600 Paint ≤ 700 Varnish ≤ 650	≤ 100	Primer ≤ 420 Paint ≤ 420 Varnish ≤ 420	Spray ≤ 400 Other ≤ 150	Spray ≤ 550 Other ≤ 200
	Package Coating Non-stick coating	≤ 420		Primer ≤ 480 Floating coat ≤ 350 Finishing coat ≤ 300		
	Package Coating Other	Roll coating (coiled material) ≤ 780 Roll coating (sheet) ≤ 680 Spray coating ≤ 750		Roll coating (sheet) ≤ 480 Spray coating ≤ 400		
Solvent	Benzene CAS # 71-43-2	≤ 0.3%				≤ 0.3%
	Sum of Toluene, Xylene, Ethylene benzene	≤ 35%				≤ 35%
	Sum of halogenated hydrocarbon	≤ 1%				≤ 1%
	Sum of PAHs	≤ 500 ppm				≤ 500 ppm
	Methanol	≤ 1% (Inorganic coating only)				
	Sum of glycol ether and ether ester*	≤ 1%		≤ 1%	≤ 1%	≤ 1%
Heavy metal	Pb	≤ 1000 ppm	≤ 1000 ppm	≤ 1000 ppm	≤ 1000 ppm	≤ 1000 ppm
	Cd	≤ 100 ppm	≤ 100 ppm	≤ 100 ppm	≤ 100 ppm	≤ 100 ppm
	Cr6+	≤ 1000 ppm	≤ 1000 ppm	≤ 1000 ppm	≤ 1000 ppm	≤ 1000 ppm
	Hg	≤ 1000 ppm	≤ 1000 ppm	≤ 1000 ppm	≤ 1000 ppm	≤ 1000 ppm
*Total content of glycol ether and ether ester (water-based paint, solvent-based paint, radiation-curable paint) %, Limit to Ethylene glycol monomethyl ether (109-86-4), Ethylene glycol monomethyl ether acetate (111-15-9), Ethylene glycol ethyl ether (110-80-5), Ethylene glycol monoethyl ether acetate(CAC) (111-15-9), Ethylene glycol dimethyl ether (110-71-4) , Ethylene glycol diethyl ether (629-14-1), Diethylene glycol dimethyl ether (111-96-6), Triethylene glycol monomethyl ether (112-49-2)						

Remarks:
VOC (Volatile organic compounds) Organic compounds under standard atmospheric pressure 101.3 kPa and initial boiling point less than or equal to 250°C participate in the photochemical reaction.
Test method: Refer to GB/T 5206-2015. Definition 2.271

5.6.2 GB 33372-2020 Limit of volatile organic compounds content in Adhesive

This standard specifies the limit requirements, test methods, inspection rules and packaging marks for the content of volatile organic compounds (VOC) in adhesives under specified conditions. This standard applies to the limitation of the content of volatile organic compounds in solvent-based, water-based and bulk adhesives.

Exemptions: As an intermediate or an adhesive that has not yet entered the market as a raw material for production. Adhesives used in any research, development, quality assurance and analysis laboratory experiment evaluation. Urea formaldehyde, phenol formaldehyde and melamine formaldehyde adhesive. Special functional surface treatment agent when bonding materials.

TABLE 7 :
Limit of volatile organic compounds content in Adhesive

Product type	Adhesive type											
VOC (g/L)	Solvent-based					Water-based						
	CR, Chloroprene rubber	SBS rubber	PU type	Acrylics	Other	Polyvinyl acetates	Polyvinyl alcohol	Rubber	PU type	Vinyl acetate-ethylene copolymer emulsions (VAE)	Acrylics	Other
Assembling	≤ 600	≤ 550	≤ 250	≤ 510	≤ 250	≤ 100	--	≤ 100	≤ 50	≤ 50	≤ 50	≤ 50
Packaging	≤ 600	≤ 500	≤ 400	≤ 510	≤ 500	≤ 50	--	≤ 50	≤ 50	≤ 50	≤ 50	≤ 50
Other	≤ 600	≤ 500	≤ 250	≤ 510	≤ 250	≤ 50	≤ 50	≤ 50	≤ 50	≤ 50	≤ 50	≤ 50

-Adhesive products are expressly used for a variety of purposes, taking the minimum amount of each requirement.

VOC (g/L)	Bulk Adhesive									
	Silicones	MS*	PU type	Polysulfides	Acrylics	Epoxy resins	α-cyano-acrylic acids	Thermo-plastics**	Others	
Assembling	≤ 100	≤ 100	≤ 50	≤ 50	≤ 200	≤ 100	≤ 20	≤ 50	≤ 50	
Packaging	≤ 100	≤ 50	≤ 50	--	--	--	--	≤ 50	≤ 50	
Other	≤ 100	≤ 50	≤ 50	≤ 50	≤ 200	≤ 50	≤ 20	≤ 50	≤ 50	

* MS refers to the adhesive with silane modified polymer as the main material.
** Thermoplastics refer to thermoplastic polyolefin or thermoplastic rubber.

Single VOC	Benzene Type (Benzene, Toluene, Xylene)	The content of single volatile organic compounds in the adhesive product, should meet the requirements of GB 30982 or GB 19340
	Halogenated hydrocarbon*	
	Toluene diisocyanate	
	Free formaldehyde	

Remarks:

VOC (Volatile organic compounds) Organic compounds under standard atmospheric pressure 101.3 kPa and initial boiling point less than or equal to 250°C participate in the photochemical reaction.
 Test method: Refer to GB 33372-2020.

5.6.3 GB 38507-2020 Limits of volatile organic compounds (VOCs) in Printing inks

This standard specifies the content limit of VOCs, provides the relevant ink terms and defines classification requirements, test methods, inspection rules and packaging marks for printing ink.

This standard applies to various inks in factory status.

Exemptions: The additives and diluents used to adjust the functionality of the ink and ink detergent used for the printing cleanliness.

TABLE 8:
Limits of volatile organic compounds (VOCs) in Printing inks

GB 38507-2020 Limits of volatile organic compounds (VOCs) in printing ink			
Product type	Printing inks type		VOC Limit (%)
Solvent-based ink	Gravure ink		≤ 75
	Flexographic ink		≤ 75
	Ink-jet ink		≤ 95
	Screen ink		≤ 75
Water-based ink	Gravure ink	Absorbent printed material	≤ 15
		Non-absorbent printed material	≤ 30
	Flexographic ink	Absorbent printed material	≤ 5
		Non-absorbent printed material	≤ 25
	Ink-jet ink		≤ 30
	Screen ink		≤ 30

GB 38507-2020 Limits of volatile organic compounds (VOCs) in printing ink		
Product type	Printing inks type	VOC Limit (%)
Offset ink	Sheet-fed offset ink	≤ 3
	Cold-set web-fed ink	≤ 3
	Heat-set web-fed ink	≤ 10
Energy curing ink	Offset ink	≤ 2
	Flexographic ink	≤ 5
	Screen ink	≤ 5
	Ink-jet ink	≤ 10
	Gravure ink	≤ 10
Engraving gravure ink		≤ 20

Remarks:

VOC (Volatile organic compounds) Organic compounds under standard atmospheric pressure 101.3 kPa and initial boiling point less than or equal to 250°C participate in the photochemical reaction.
 Test method: Refer to GB/T38608—2020. Except the energy curing ink-Gravure ink refers to GB/T34675-2017.

TABLE 9:
Prohibited solvents in printing ink

Name	CAS #
Halohydrocarbons	Various
Ethylbenzene	100-41-4
Propylene oxide	75-56-9
Styrene	100-42-5
Benzene	71-43-2
Isopropyl nitrite	541-42-4
Butyl nitrite	544-16-1
2-Ethoxyethanol	110-80-5
Ethyl glycol acetate	111-15-9
2-Methoxyethanol	109-86-4
2-Methoxyethyl acetate	110-49-6
2-Nitropropane	79-46-9

Name	CAS #
2-Nitropropane	79-46-9
N-Methyl-2-pyrrolidone	872-50-4
Triethylene Glycol Dimethyl Ether	112-49-2
1,2-Dimethoxyethane	110-71-4
Ethylene Glycol Diethyl Ether	629-14-1
Toluene	108-88-3
Xylene	1330-20-7

5.6.4 GB 38508-2020 Limits for volatile organic compounds content in Clean agents

This standard defines classification requirements, the content limit of VOCs, test methods, inspection rules and packaging marks for clean agents. This standard applies to the use of clean agents in industrial production and service activities production.

Exemptions: The clean agents used in semiconductor (including integrated circuits) manufacturing.

TABLE 10:
Limits for volatile organic compounds content in Clean agents

GB 38508-2020 Limits for volatile organic compounds content in cleaning agent					
Product type		Clean Agent Type			
		Water-based	Semi-water-based		Organic solvent
			Standard	Low VOC	
VOC (g/L)		≤ 50	≤ 300	≤ 100	≤ 900
Solvent	Sum of Dichloromethane, Trichloromethane, Trichloroethylene, Tetrachloroethylene (%)	≤ 0.5	≤ 2	≤ 0.5	≤ 20
	Formaldehyde (g/Kg)	≤ 0.5	≤ 0.5	≤ 0.5	---
	Sum of Benzene, Ethylbenzene, Toluene, Xylene (%)	≤ 0.5	≤ 1	≤ 0.5	≤ 2

Remarks:

VOC (Volatile organic compounds) Organic compounds under standard atmospheric pressure 101.3 kPa and initial boiling point less than or equal to 250°C participate in the photochemical reaction.
 VOC Test method: Refer to GB/T13137-2008. Sum of Dichloromethane, Trichloromethane, Trichloroethylene, Tetrachloroethylene VOC test: Refer to GB/T 23990-2009. Formaldehyde VOC test: Refer to GB/T 23993. Sum of Benzene, Ethylbenzene, Toluene, Xylene VOC test: Refer to GB/T 23992.

6. Requirements for Demonstrating Compliance

Logitech may request analytical test reports to prove compliance with any of the substances listed in this specification, and the cost will be borne by the supplier. In addition, the test report shall from an accredited laboratory to prove that it meets the requirements for the following substances in homogeneous materials:

Report type	Substances	Limitation	Legislation	Material type			
				Textile	Leather	Plastic	Metal
Test report	RoHS Substances Cadmium (Cd) Lead (Pb) Mercury (Hg) Hexavalent chromium (CrVI) Polybrominated biphenyls (PBB) Polybrominated diphenyl ethers (PBDE) Bis(2-ethylhexyl) phthalate (DEHP) Butyl benzyl phthalate (BBP) Dibutyl phthalate (DBP) Diisobutyl phthalate (DIBP)	-1000 ppm for each substance except Cadmium -Cadmium: 100 ppm	EU RoHS	Y	Y	Y	Y Not required for PBB, PBDE, DEHP, BBP, DBP and DIBP
Test report	PFOA (C8 Pentadecafluorooctanoic compound)	25 ppb	EU REACH-Annex XVII	Y	Y	N	N
Test report	Hexabromocyclododecane (HBCDD)	100 ppm	EU POPs	Y	N	Y	N
Test report	10 phthalates	Each phthalate below <1000 ppm	EU RoHS EU REACH-Annex XVII CA Prop65	Y	Y	Y	N
Test report	Formaldehyde	75 ppm	EU REACH-Annex XVII China GB 18401 China GB 20400	Y	Y	N	N
Test report	Pentachlorophenol (PCP)	1000 ppm	EU REACH-Annex XVII	Y	Y	N	N
Test report	Organic tin compounds -Tributyltin (TBT) compounds -Triphenyltin (TPT) compounds -Dibutyltin (DBT) compounds -Diocetyl tin (DOT) compounds	1000 ppm of tin	EU REACH-Annex XVII	Y	Y	N	N
Test report	Azocolourants and Azodyes	30 ppm for sum of total content	EU REACH-Annex XVII China GB 18401 China GB 20400	Y	N	N	N
Test report	PH value	4.0-8.5	China GB 18401	Y	N	Y	N
Test report	Dimethylformamide(DMFa)	1000 ppm	EU REACH CA Prop65	N	Y (PU leather)	N	N
Test report	15 PAHs	-Each PAHs in below < 1 ppm 1. Benzo[a]pyrene 2. Benzo[e]pyrene 3. Benzo[a]anthracene 4. Chrysen 5. Benzo[b]fluoranthene 6. Benzo[j]fluoranthene 7. Benzo[k]fluoranthene 8. Dibenzo[a,h]anthracene -10 ppm for sum of total PAHs	EU REACH CA Prop65 GS Mark	Y	Y	Y	N
Test report	Chromium VI	3 ppm - Leather Not detectable - Metal < 500 ppm - Plastic	EU REACH-Annex XVII	N	Y (Animal leather)	Y	Y
MSDS report	Material compositions are disclosure	---	---	Y	Y	Y	Y

7. Reference

7.1 Documents referenced by this document

Doc ID	Document Title
WWP-750779-0000	Logitech GSE Requirements

7.2 Specification Changes history

Summary of changes made to this specification.

Rev.	Revision description	Remarks	Date
001	<p>Changes versus original STD 750779-0000 Rev C June 5, 2006 Deep changes made on layout & content. New tables of substances.</p> <ul style="list-style-type: none"> - Following Section removed, now available as separate documents - Sect. 8 Packaging - Sect. 9 Batteries - Sect. 10 OEM specific requirements <p>- Following Section obsolete:</p> <ul style="list-style-type: none"> - Sect. 14 Appendix 5: Halogen Free design - Sect. 16 Appendix 7: additional Requirements for Toys design <p>- Following Substances obsolete :</p> <ul style="list-style-type: none"> - Chlorinated Hydrocarbons- duplication. - Halogenated Diphenyl methanes (includes in PCBs) - Pentachlorophenol – Wood only. - PFOA - no legislation from Norway - PCDF, PCDD - Not relevant. - TBBP-A, TBBP_A-bis - others BFRs. Triphenyl Phosphate – not relevant <p>- New Substances added</p> <ul style="list-style-type: none"> - Sect. 5.3 DMF - Sect. 5.3 Formaldehyde in composite wood - Sect. 5.3 Ban 10 phthalates <p>- Concentration threshold changed :</p> <ul style="list-style-type: none"> - Sect. 5 Increase cadmium content from 5 ppm to 100 ppm for plastic resins paints and inks. - TABLE 5 SVHC candidate substances 	<p>Full update</p> <p>Phthalate Policy Logitech 2011</p>	June, 27th, 2012
002	<p>Adapted thresholds to EPEAT requirements for Cd and Cr(VI) Changed threshold for Cr(VI) (others materials) from 1000 to 500 ppm , to reflect requirements from EPEAT specification Minor change on reference for Swiss law</p>		August, 9th, 2012
003	<ul style="list-style-type: none"> - RoHS 2 is now in place, RoHS 1 is obsoleted - Completed Table 5 : SVHC addition of 54 additional SVHC candidate substances - Clarified threshold for organostannic compounds, DBT, DOT, 	ECHA Dec 2012	March, 7th, 2013

004	<p>Table 1 – RoHS restricted substances</p> <ul style="list-style-type: none"> - updated Chromium VI and Lead <p>Table 2 – Restricted substances by regulation</p> <ul style="list-style-type: none"> - added Biocidal substances, Pentachlorophenol, PFOA and Phenol,2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dimethylethyl) - updated PFOS and PAHs <p>Table 3 – Logitech restricted substances,</p> <ul style="list-style-type: none"> - added n-Hexane - updated Arsenic and PVC <p>Table 4 – Reportable substances,</p> <ul style="list-style-type: none"> - updated CFR <p>Table 5 - SVHC candidate substances,</p> <ul style="list-style-type: none"> - added 13 new substances - Removed Section 5.6- JIG 101 <p>Annex 1</p> <ul style="list-style-type: none"> - updated Table A11 PFOS 	ECHA Jun and Dec 2013	March,27th, 2014
005	<p>Updated Logitech logo</p> <p>Updated Scope</p> <p>Removed 4.1 External Documents and 4.2 Notes Databases</p> <p>Modified Definitions</p> <ul style="list-style-type: none"> -Added Logitech mandatory limits, Intentionally added, CAS no. and EC no. -Revised Threshold or Limits and Homogenous materials <p>Modified Tables</p> <ul style="list-style-type: none"> -Remove # column, legal threshold level(reporting level) and in spec. from columns. Replace "Others Regulatory or Industry Standard Agreement", "Key legal & Regulatory or Industry Standard Agreement" and "Industry Standard Agreement" with "References" -Table 1. Simplified table, updated Logitech mandatory limits and added 4 phthalates DEHP, DBP, BBP and DIBP. -Table 2. Simplified table, updated Logitech mandatory limits and added Arsenic and its compounds, Ethylene Glycol Ethers and HBCDD and removed Cadmium/cadmium compounds, Chromium 6, Lead/lead compounds, Mercury/mercury compounds, PBBs and PBDEs. - Add bisphenol A requirements - Add TSCA PBTs five substances requirements - Add TPCH new requirements for packaging -Table 3. Simplified table, updated Logitech mandatory limits and removed Arsenic, Ethylene Glycol Ethers and HBCDD. -Table 4. Simplified table, updated Logitech mandatory limits and removed PVC and added REACH Candidate list of SVHC - Add LCPFACs, Boric acid and Cobalt dichloride requirements -Table 5. Added CMR substances of EU REACH regulation (entry 72). - Add China VoC regulation - Add requirements for demonstrating compliance and table - Combine Battery and Packaging hazardous substance specifications into GSE 751707. 	Full update	May, ,20th, 2021

8. Appendices: Families of substances

Tables below contain details of all substances that are covered by the generic name used in this specification in Section 5.3.

Example:

- Generic name Asbestos includes seven unique substances or compounds with asbestos.

Appendix A: Asbestos and its Compounds

Chemical/Substance	CAS no.
Asbestos	1332-21-4
Actinolite	77536-66-4
Amosite (Grunerite)	12172-73-5
Anthophyllite	77536-67-5
Chrysolite	12001-29-5 and 132207-32-0
Crocidolite	12001-28-4
Tremolite	77536-68--6

Appendix B: Azocolourants and Azodyes (Azo compounds)

Chemical/Substance	CAS no.
Biphenyl-4-ylamine	92-67-1
Benzidine	92-87-5
4-chloro-o-toluidine	95-69-2
2-naphthylamine	91-59-8
o-aminoazotoluene	97-56-3
5-nitro-o-toluidine	99-55-8
4-chloroaniline	106-47-8
4-methoxy-m-phenylenediamine	615-05-04
4,4'-methylenedianiline	101-77-9
3,3'-dichlorobenzidine	91-94-1
3,3'-dimethoxybenzidine	119-90-4
3,3'-dimethylbenzidine	119-93-7
4,4'-methylenedi-o-toluidine	838-88-0
6-methoxy-m-toluidine	120-71-8
4,4'-methylene-bis(2-chloroaniline)	101-14-4
4,4'-oxydianiline	101-80-4
4,4'-thiodianiline	139-65-1
o-toluidine	95-53-4
4-methyl-m-phenylenediamine	95-80-7
2,4,5-trimethylaniline	137-17-7
o-anisidine	90-04-0
4-amino azobenzene	60-09-3

Appendix C: Chlorinated Paraffins, Short Chain (SCCP)

Chemical/Substance	CAS no.
Short-Chain Chlorinated Paraffins (SCCPs) C _x H _{2x+2} -yCl _y , where x=10-13 and y=1-13 [4 items]	
Alkanes, C10-13, chloro	85535-84-8
Alkanes, C10-12, chloro	108171-26-2
Alkanes, C12-13, chloro	71011-12-6
Alkanes, C8-22, chloro	61788-76-9
Other shortchain chlorinated paraffins (C10-13)	-

Appendix D: Fluorinated greenhouse gases (GHG, F-gases)

Chemical/Substance	CAS no.
Tetrafluoromethane (Carbon tetrafluoride, PFC-14)	75-73-0
Hexafluoroethane (PFC-116)	76-16-4
Octafluoropropane (PFC-218)	76-19-7
Decafluorobutane (PFC-31-10)	355-25-9
Dodecafluoropentane (PFC-41-12)	678-26-2
Tetradecafluorohexane (PFC-51-14)	355-42-0
Octafluorocyclobutane (PFC-c318)	115-25-3
Sulfur Hexafluoride (SF6)	2551-62-4
Trifluoromethane (HFC-23)	75-46-7
Difluoromethane (HFC-32)	75-10-5
Methyl fluoride (HFC-41)	593-53-3
2H,3H-Decafluoropentane (HFC-43-10mee)	138495-42-8
Pentafluoroethane (HFC-125)	354-33-6
1,1,2,2-Tetrafluoroethane (HFC-134)	359-35-3
1,1,1,2-Tetrafluoroethane (HFC-134a)	811-97-2
1,1-Difluoroethane (HFC-152a)	75-37-6
1,1,2-Trifluoroethane (HFC-143)	430-66-0
1,1,1-Trifluoroethane (HFC-143a)	420-46-2
2H-Heptafluoropropane (HFC-227ea)	431-89-0
1,1,1,2,2,3-Hexafluoro-propane (HFC-236cb)	677-56-5
1,1,1,2,3,3-Hexafluoropropane (HFC-236ea)	431-63-0
1,1,1,3,3,3-Hexafluoropropane (HFC-236fa)	690-39-1
1,1,2,2,3-Pentafluoropropane (HFC-245ca)	679-86-7
1,1,1,3,3-Pentafluoropropane (HFC-245fa)	460-73-1
1,1,1,3,3-Pentafluorobutane (HFC-365mfc)	406-58-6

Appendix E: Ozone depleting substances (ODS)

Chemical/Substance	CAS no.
Trichlorofluoromethane (CFC11)	75-69-4
Dichlorodifluoromethane (CFC12)	75-71-8
Chlorotrifluoromethane (CFC 13)	75-72-9
Pentachlorofluoroethane (CFC 111)	354-56-3
Tetrachlorodifluoroethane (CFC 112)	76-12-0
1,1,2,2-Tetrachloro-1,2-difluoroethane (CFC-112)	76-12-0
1,1,1,2-Tetrachloro-2,2-difluoroethane (CFC-112a)	76-11-9
Trichlorotrifluoroethane (CFC 113)	76-13-1
1,1,2-Trichloro-1,2,2 trifluoroethane (CFC-113)	76-13-1
1,1,1-Trichloro-2,2,2 trifluoroethane (CFC-113a)	354-58-5
Dichlorotetrafluoroethane (CFC 114)	76-14-2
Monochloropentafluoroethane (CFC 115)	76-15-3
Heptachlorofluoropropane (CFC 211)	422-78-6 135401-87-5
1,1,1,2,2,3,3-Heptachloro-3-fluoropropane (CFC-211aa)	422-78-6
1,1,1,2,3,3,3-Heptachloro-2-fluoropropane (CFC-211ba)	422-81-1
Hexachlorodifluoropropane (CFC 212)	3182-26-1
Pentachlorotrifluoropropane (CFC 213)	2354-06-5 134237-31-3
Tetrachlorotetrafluoropropane (CFC 214)	29255-31-0
1,2,2,3-Tetrachloro-1,1,3,3-tetrafluoropropane	2268-46-4
1,1,1,3-Tetrachlorotetrafluoropropane	-
Trichloropentafluoropropane (CFC-215)	1599-41-3
1,2,2-Trichloropentafluoropropane (CFC-215aa)	1599-41-3
1,2,3-Trichloropentafluoropropane (CFC-215ba)	76-17-5
1,1,2-Trichloropentafluoropropane (CFC-215bb)	-
1,1,3-Trichloropentafluoropropane (CFC-215ca)	-
1,1,1-Trichloropentafluoropropane (CFC-215cb)	4259-43-2
Dichlorohexafluoropropane (CFC 216)	661-97-2
Monochloroheptafluoropropane (CFC 217)	422-86-6
Bromochloromethane (Halon-1011)	74-97-5
Dibromodifluoromethane (Halon-1202)	75-61-6
Bromochlorodifluoromethane (Halon 1211)	353-59-3
Bromotrifluoromethane (Halon 1301)	75-63-8
Dibromotetrafluoroethane (Halon 2402)	124-73-2
Carbon Tetrachloride (tetrachloromethane)	56-23-5
1,1,1 - Trichloroethane (methyl chloroform)	71-55-6

Appendix E: Ozone depleting substances (ODS) continued

Chemical/Substance	CAS no.
Bromomethane (methyl bromide)	74-83-9
Bromoethane (ethyl bromide)	74-96-4
1-Bromopropane (n-propyl bromide)	106-94-5
Trifluoriodomethane (trifluoromethyl iodide)	2314-97-8
Chloromethane (methyl chloride)	74-87-3
Dichlorotrifluoroethane(HCFC-123)	34077-87-7
Dibromofluoromethane (HBFC-21 B2)	1868-53-7
Bromodifluoromethane (HBFC-22 B1)	1511-62-2
Bromofluoromethane (HBFC-31 B1)	373-52-4
Tetrabromofluoroethane (HBFC-121 B4)	306-80-9
Tribromodifluoroethane (HBFC-122 B3)	-
Dibromotrifluoroethane (HBFC-123 B2)	354-04-1
Bromotetrafluoroethane (HBFC-124 B1)	124-72-1
Tribromofluoroethane (HBFC-131B3)	-
Dibromodifluoroethane (HBFC-132 B2)	75-82-1
Bromotrifluoroethane (HBFC-133B1)	421-06-7
Dibromofluoroethane (HBFC-141B2)	358-97-4
Bromodifluoroethane (HBFC-142 B1)	420-47-3
Bromofluoroethane (HBFC-151 B1)	762-49-2
Hexabromofluoropropane (HBFC-221 B6)	-
Pentabromodifluoropropane (HBFC-222 B5)	-
Tetrabromotrifluoropropane (HBFC-223 B4)	-
Tribromotetrafluoropropane (HBFC-224 B3)	-
Dibromopentafluoropropane (HBFC-225 B2)	431-78-7
Bromohexafluoropropane (HBFC-226 B1)	2252-78-0
Pentabromofluoropropane (HBFC-231 B5)	-
Tetrabromodifluoropropane (HBFC-232 B4)	-
Tribromotrifluoropropane (HBFC-233 B3)	-
Dibromotetrafluoropropane (HBFC-234 B2)	-
Bromopentafluoropropane (HBFC-235B1)	460-88-8
Tetrabromofluoropropane (HBFC-241 B4)	-
Tribromodifluoropropane (HBFC-242 B3)	70192-80-2
Dibromotrifluoropropane (HBFC-243 B2)	431-21-0
Bromotetrafluoropropane (HBFC-244 B1)	679-84-5
Tribromofluoropropane (HBFC-251 B3)	75372-14-4
Dibromodifluoropropane (HBFC-252 B2)	460-25-3
Bromotrifluoropropane (HBFC-253 B1)	421-46-5

Chemical/Substance	CAS no.
Dibromofluoropropane (HBFC-261 B2)	51584-26-0
Bromodifluoropropane (HBFC-262 B1)	-
Bromofluoropropane (HBFC-271 B1)	1871-72-3
Dichlorofluoromethane (HCFC 21)	75-43-4
Chlorodifluoromethane (HCFC 22)	75-45-6
Chlorofluoromethane (HCFC 31)	593-70-4
Tetrachlorofluoroethane (HCFC 121)	134237-32-4
1,1,2,2-tetrachloro-1-fluoroethane (HCFC 121)	354-14-3
1,1,1,2-tetrachloro-2-fluoroethane (HCFC 121a)	354-11-0
Trichlorodifluoroethane (HCFC-122)	41834-16-6
1,2,2-Trichloro-1,1-difluoroethane (HCFC-122)	354-21-2
1,1,2-Trichloro-1,2-difluoroethane (HCFC-122a)	354-15-4
1,1,1-Trichloro-2,2-difluoroethane (HCFC-122b)	354-12-1
1,1-Dichloro-2,2,2-trifluoroethane (HCFC-123)	306-83-2
1,2-Dichloro-1,1,2-trifluoroethane (HCFC-123a)	354-23-4
1,1-Dichloro-1,2,2-trifluoroethane (HCFC-123b)	90454-18-5 812-04-4
Chlorotetrafluoroethane (HCFC 124)	63938-10-3
2-chloro-1,1,1,2-tetrafluoroethane (HCFC 124)	2837-89-0
1-chloro-1,1,2,2-tetrafluoroethane (HCFC 124a)	354-25-6
Trichlorofluoroethane (HCFC-131)	27154-33-2 134237-34-6
1,1,2-Trichloro-2-fluoroethane (HCFC-131)	359-28-4
1,1,2-Trichloro-1-fluoroethane (HCFC131a)	811-95-0
1,1,1-Trichloro-2-fluoroethane (HCFC-131b)	2366-36-1
Dichlorodifluoroethane (HCFC-132)	25915-78-0
1,2-Dichloro-1,2-difluoroethane (HCFC-132)	431-06-1
1,1-Dichloro-2,2-difluoroethane (HCFC-132a)	471-43-2
1,2-Dichloro-1,1-difluoroethane (HCFC-132b)	1649-08-7
1,1-Dichloro-1,2-difluoroethane (HCFC-132c)	1842-05-3
Chlorotrifluoroethane (HCFC-133)	1330-45-6 431-07-2
1-Chloro-1,2,2-trifluoroethane (HCFC-133)	1330-45-6
2-Chloro-1,1,1-trifluoroethane (HCFC-133a)	75-88-7
1-Chloro-1,1,2-trifluoroethane (HCFC-133b)	421-04-5
Dichlorofluoroethane(HCFC-141)	1717-00-6 25167-88-8

Appendix E: Ozone depleting substances (ODS) continued

Chemical/Substance	CAS no.
1,2-Dichloro-1-fluoroethane (HCFC-141)	430-57-9
1,1-Dichloro-2-fluoroethane (HCFC-141a)	430-53-5
1,1-Dichloro-1-fluoroethane (HCFC-141b)	1717-00-6
Chlorodifluoroethane (HCFC-142)	25497-29-4
2-Chloro-1,1-Difluoroethane (HCFC-142)	338-65-8
1-Chloro-1,1-difluoroethane (HCFC-142b)	75-68-3
1-Chloro-1,2-difluoroethane (HCFC-142a)	338-64-7
Chlorofluoroethane (HCFC-151)	110587-14-9
1-Chloro-2-fluoroethane (HCFC-151)	762-50-5
1-Chloro-1-fluoroethane (HCFC-151a)	1615-75-4
Hexachlorofluoropropane (HCFC-221)	134237-35-7 29470-94-8
1,1,1,2,2,3-Hexachloro-3-fluoropropane (HCFC-221ab)	422-26-4
Pentachlorodifluoropropane (HCFC-222)	134237-36-8
1,1,1,3,3-pentachloro-2,2-difluoropropane (HCFC-222ca)	422-49-1
1,2,2,3,3-pentachloro-1,1-difluoropropane (HCFC-222aa)	422-30-0
Tetrachlorotrifluoropropane (HCFC-223)	134237-37-9
1,1,3,3-Tetrachloro-1,2,2-trifluoropropane (HCFC-223ca)	422-52-6
1,1,1,3-Tetrachloro-2,2,3-trifluoropropane (HCFC-223cb)	422-50-4
Trichlorotetrafluoropropane (HCFC-224)	134237-38-0
1,3,3-Trichloro-1,1,2,2-tetrafluoropropane (HCFC-224ca)	422-54-8
1,1,3-Trichloro-1,2,2,3-tetrafluoropropane (HCFC-224cb)	422-53-7
1,1,1-Trichloro-2,2,3,3-tetrafluoropropane (HCFC-224cc)	422-51-7
Dichloropentafluoropropane (HCFC-225)	127564-92-5
2,2-Dichloro-1,1,1,3,3-pentafluoropropane(HCFC-225aa)	128903-21-9
2,3-Dichloro-1,1,1,2,3-pentafluoropropane (HCFC-225ba)	422-48-0
1,2-Dichloro-1,1,2,3,3-pentafluoropropane (HCFC-225bb)	422-44-6
3,3-Dichloro-1,1,1,2,2-pentafluoropropane (HCFC-225ca)	422-56-0
1,3-Dichloro-1,1,2,2,3-pentafluoropropane (HCFC-225cb)	507-55-1
1,1-Dichloro-1,2,2,3,3-pentafluoropropane(HCFC-225cc)	13474-88-9
1,2-Dichloro-1,1,3,3,3-pentafluoropropane (HCFC-225da)	431-86-7
1,3-Dichloro-1,1,2,3,3-pentafluoropropane (HCFC-225ea)	136013-79-1
1,1-Dichloro-1,2,3,3,3-pentafluoropropane(HCFC-225eb)	111512-56-2
Chlorohexafluoropropane (HCFC-226)	134308-72-8
2-Chloro-1,1,1,3,3,3-hexafluoro-propane (HCFC-226da)	431-87-8
Pentachlorofluoropropane (HCFC-231)	134190-48-0

Chemical/Substance	CAS no.
1,1,1,2,3-pentachloro-2-fluoro-propane (HCFC-231bb)	421-94-3
Tetrachlorodifluoropropane (HCFC-232)	134237-39-1
1,1,1,3-Tetrachloro-3,3-difluoropropane (HCFC-232fc)	460-89-9
Trichlorotrifluoropropane (HCFC-233)	134237-40-4
1,1,1-Trichloro-3,3,3-trifluoropropane (HCFC-233fb)	7125-83-9
Dichlorotetrafluoropropane (HCFC-234)	127564-83-4
1,2-Dichloro-1,2,3,3-tetrafluoropropane (HCFC-234db)	425-94-5
Chloropentafluoropropane (HCFC-235)	134237-41-5
1-Chloro-1,1,3,3,3-pentafluoropropane (HCFC-235fa)	460-92-4
Tetrachlorofluoropropane (HCFC-241)	134190-49-1
1,1,2,3-Tetrachloro-1-fluoropropane (HCFC-241db)	666-27-3
Trichlorodifluoropropane (HCFC-242)	134237-42-6
1,3,3,Trichloro-1,1-difluoropropane (HCFC-242fa)	460-63-9
Dichlorotrifluoropropane (HCFC-243)	134237-43-7
1,1-Dichloro-1,2,2-trifluoropropane (HCFC-243cc)	7125-99-7
2,3-Dichloro-1,1,1-trifluoropropane (HCFC-243db)	338-75-0
3,3-Dichloro-1,1,1-trifluoropropane (HCFC-243fa)	460-69-5
Chlorotetrafluoropropane (HCFC-244)	134190-50-4
3-Chloro-1,1,2,2-tetrafluoropropane (HCFC-244ca)	679-85-6
1-Chloro-1,1,2,2-tetrafluoropropane (HCFC-244cc)	421-75-0
Trichlorofluoropropane (HCFC-251)	134190-51-5
1,1,3-Trichloro-1-fluoropropane (HCFC-251fb)	818-99-5
1,1,2-Trichloro-1-fluoropropane (HCFC-251dc)	421-41-0
Dichlorodifluoropropane (HCFC-252)	134190-52-6
1,3-Dichloro-1,1-difluoropropane (HCFC-252fb)	819-00-1
Chlorotrifluoropropane (HCFC-253)	134237-44-8
3-Chloro-1,1,1-trifluoropropane (HCFC-253fb)	460-35-5
Dichlorofluoropropane (HCFC-261)	134237-45-9
1,1-Dichloro-1-fluoropropane (HCFC-261fc)	7799-56-6
1,2-Dichloro-2-fluoro-propane (HCFC-261ba)	420-97-3
Chlorodifluoropropane (HCFC-262)	134190-53-7
1-Chloro-2,2-difluoropropane (HCFC-262ca)	420-99-5
2-Chloro-1,3-difluoropropane (HCFC-262da)	102738-79-4
1-Chloro-1,1-difluoropropane (HCFC-262fc)	421-02-03
Chlorofluoropropane (HCFC-271)	134190-54-8
2-Chloro-2-fluoropropane (HCFC-271ba)	420-44-0
1-Chloro-1-fluoropropane (HCFC-271fb)	430-55-7

Appendix F: Per- and Polyfluoroalkyl Substances (PFAS)

Chemical/Substance	CAS no.
Perfluorobutyric acid	375-22-4
Perfluoropentanoic acid	2706-90-3
Perfluorohexanoic acid	307-24-4
Perfluoroheptanoic acid	375-85-9
Perfluorononanoic acid	375-95-1
Perfluorodecanoic acid	335-76-2
Perfluoroundecanoic acid	2058-94-8
Perfluorododecanoic acid	307-55-1
Perfluorotridecanoic acid	72629-94-8
Perfluorobutane sulfonic acid	375-73-5
Perfluoropentane sulfonic acid	2706-91-4
Perfluorohexane sulfonic acid	355-46-4
Perfluoroheptane sulfonic acid	375-92-8
Perfluorononane sulfonic acid	68259-12-1

Appendix G: Perfluorooctanoic Acid (PFOA) and compounds

Chemical/Substance	CAS no.
Perfluorooctanoic acid (PFOA)	335-67-1
Ammonium salt of PFOA	3825-26-1
Perfluorooctanoic acid sodium salt; Sodium salt of PFOA	335-95-5
Potassium salt of PFOA	2395-00-8
Silver salt of PFOA	335-93-3
Pentadecafluorooctyl fluoride	335-66-0
Pentadecafluoro-octanoicacimethylester	376-27-2
Pentadecafluoro-octanoicaciethylester	3108-24-5

Appendix H: Perfluorooctane Sulfonates (PFOS) and compounds

Chemical/Substance	CAS no.
2-Propenoic acid, 2-methyl-, dodecyl ester, polymers with 2-[methyl ((perfluoro-C4-8-alkyl)sulfonyl)amino]ethyl acrylate and vinylidene chloride	306975-62-2
Glycine, N-ethyl-N-[(heptadecafluorooctyl)sulfonyl]-, potassium salt	2991-51-7
Perfluorooctanoic acid sodium salt	335-95-5
N-Ethyl-N-(2-hydroxyethyl)perfluorooctylsulphonamide	1691-99-2
Perfluorooctane sulfonic acid	1763-23-1
Ammonium perfluorooctanesulfonate	29081-56-9
N-Methylperfluorooctanesulfonamidoethanol	24448-09-07
Lithium Heptadecafluoro-1-octanesulfonate	29457-72-5
epta-decafluorooctanesulphonamide	754-91-6
Potassium perfluorooctanesulfonate	2795-39-3
Perfluorooctane sulfonyl fluoride	307-35-7

Appendix I: Phthalates

Chemical/Substance	CAS no.
Bis (2-ethylhexyl) phthalate (DEHP)	117-81-7
Dibutylphthalate (DBP)	84-74-2
Diisononyl phthalate (DINP)	28553-12-0
1,2-Benzenedicarboxylic acid diisodecyl ester (DIDP)	26761-40-0
Butyl benzyl phthalate (BBP)	85-68-7
Di-n-octyl phthalate (DNOP)	117-84-0
Diisobutyl phthalate (DIBP)	84-69-5
Di-n-hexyl phthalate (DnHP)	84-75-3
Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8
Di-n-pentyl phthalate (DnPP)	131-18-0

Appendix J: Polycyclic aromatic hydrocarbons (PAHs)

Chemical/Substance	CAS no.
Anthracene	0120-12-7
Benzo[a]anthracene	56-55-3
Benzo[b]fluoranthene	205-99-2
Benzo[j]fluoranthene	205-82-3
Benzo[k]fluoranthene	0207-08-09
Benzo[ghi]perylene	191-24-2
Benzo[a]pyrene	50-32-8
Benzo[e]pyrene	192-97-2
Chrysene	0218-01-09
Dibenz[a,h]anthracene	53-70-3
Fluoranthene	206-44-0
Indeno[1,2,3-cd]pyrene	193-39-5
Naphthalene	91-20-3
Phenanthrene	85-01-8
Pyrene	129-00-0

Appendix K: Organotin Compounds

Chemical/Substance	CAS no.
Dibutyltin oxide	0818-08-06
Dibutyltin diacetate	1067-33-0
Dibutyltin dilaurate	77-58-7
Dibutyltin maleate	78-04-6
Other dibutyltin compounds	-
Diocetyl Tin Oxide	0870-08-06
Diocetyl tin dilaurate	3648-18-8
Other Diocetyl tin compounds	-
Triphenyltin-N, N-dimethyldithiocarbamate	1803-12-9
Triphenyltinfluoride	379-52-2
Triphenyltinacetate	900-95-8
Triphenyltinchloride	639-58-7
Triphenyltinhydroxide	76-87-9
Triphenyltin fattyacid((9-11)salt)	18380-71-7 18380-72-8 47672-31-1 94850-90-5
Triphenyltinchloroacetate	7094-94-2
Tributyltinmethacrylate	2155-70-6
Bis(tributyltin)fumalate	6454-35-9
Tributyltinfluoride	1983-10-4
Bis(tributyltin)2,3-dibromosuccinate	31732-71-5
Tributyltinacetate	56-36-0
Tributyltinlaurate	3090-36-6
Bis(tributyltin)phthalate	4782-29-0
Copolymer of alkyl(c=8) acrylate,methyl methacrylate and tributyltin methacrylate	67772-01-04
Tributyltinsulfamate	6517-25-5
Bis(tributyltin)maleate	14275-57-1
Tributyltinchloride	1461-22-9 7432-38-3
Tributyltin cyclopentane carbonate=mixture	85409-17-2
Tributyltin-1, 2,3,4,4a, 4b, 5,6,10,10a-decahydro-7-isopropyl-1, 4a-dimethyl-1-phenanthrenecarboxylatemix	26239-64-5
Other tri-substituted organostannic compounds	-

Appendix L: LCPFACs and Perfluoroalkyl Sulfonate

Chemical/Substance	CAS no.
Perfluorooctyl iodide	5073-63-1
Tetrahydroperfluoro-1-decanol	678-39-7
Perfluoro-1-dodecanol	865-86-1
Perfluorodecyl iodide	2043-53-0
1,1,2,2-Tetrahydroperfluorododecyl iodide	2043-54-1
Perfluorodecylethyl acrylate	17741-60-5
1,1,2,2-Tetrahydroperfluorodecyl acrylate	27905-45-9
1,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12-Pentacosafuoro14-iodotetradecane	30046-31-2
3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,13,14,14,14-Pentacosafuorotetradecan-1-o	39239-77-5
3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,13,14,14,15,15,16,16,16-Nonacosafuorohehexadecan-1-ol	60699-51-6
1,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,13,14,14,14-Nonacosafuoro-16-iodohexadecane	65510-55-6
Sodium;2-methylpropane-1- sulfonate	68187-47-3
1,1,2,2-Tetrahydroperfluoroalkyl (C8- C14) alcohol	68391-08-02
Thiols, C8-20, gamma-omegaperfluoro, telomers with acrylamide	70969-47-0
Silicic acid (H4SiO4), sodium salt (1:2), reaction products with chlorotrimethylsilane and 3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-heptadecafluoro-1-decanol	125476-71-3
Thiols, C4-20, gamma-omegaperfluoro, telomers with acrylamide and acrylic acid, sodium salts)	1078712-88-5
1-Propanaminium, 3-amino-N- (carboxymethyl)-N, N-dimethyl-, N-(2- ((gamma-omega-perfluoro-C4-20-alkyl)thio)acetyl) derivs., inner salts	1078715-61-3
Polyfluoroalkyl betaine (generic)	CBI
Modified fluoroalkyl urethane (generic)	CBI
Perfluorinated polyamine (generic)	CBI

9. Testing for RoHS compliance

For mechanical, electromechanical and electronic components, the supplier shall provide a test report of the ten RoHS substances, delivered by certified third party laboratory or by a laboratory previously approved by Logitech.

RoHS test reports must be done by a third-party certified Laboratory or approved by Logitech to demonstrate that it is operating and accredited under ISO 17025.

To be considered as truly valid, a test report shall:

- Be dated. A test report older than 1 years can only be accepted under specific conditions (stable component manufacturing process).
- Have a unique serial number with complete laboratory address, phone number or email and name of laboratory manager.
- Enable full traceability to tested material (by picture, supplier reference, color or tested sample, etc).
- Third-party certified Laboratory test reports for RoHS testing shall be conducted according to European Standard IEC 62321 (2008-12) Ed. 1.0 or more recent update if available. No other test methods are accepted to establish RoHS compliance.
- The test reports shall be traceable to exact component, description of component, date of test, testing standards used for all 10 substances, signature of Laboratory manager. Test shall be done at homogeneous material level.
- Description of preparation & test method is a plus.
- Test report shall indicate MDL (Method Detection Level) and if possible the test accuracy.
- Test report shall properly identify the various substances being tested (with CAS # when necessary)
- As much as possible, be in English, or test results and testing methods be identifiable in English.
- Identify the test equipment being used for the various tests.

10. RoHS exemptions (summary)

The RoHS Directive exempts certain applications from the RoHS substance restrictions. The exemptions are temporary and reviewed at least every four years.

The list of RoHS exemptions is given in the Annexes III and IV of the Directive 2011/65/EU (EU RoHS recast) A table providing an overview of Annex III and IV exemptions, including their validity status and submitted exemption requests, is available [here](#).

Suppliers shall communicate to Logitech, all RoHS exemptions that were necessary to declare a specific component as EU RoHS compliant, including the exact location of the homogeneous material concerned by the exemption.

The most common RoHS exemptions applicable to components delivered to Logitech or built in Logitech products are as follow:

Exemption #	Definition exemption
6(a)	Lead as an alloying element in steel for machining purposes and in galvanized steel containing up to 0.35% lead by weight
6(a)-I	Lead as an alloying element in steel for machining purposes containing up to 0.35% lead by weight and in batch hot dip galvanised steel components containing up to 0.2% lead by weight
6(b)	Lead as an alloying element in aluminum containing up to 0.4% lead by weight
6(b)-I	Lead as an alloying element in aluminium containing up to 0.4 % lead by weight, provided it stems from lead-bearing aluminium scrap recycling
6(b)-II	Lead as an alloying element in aluminium for machining purposes with a lead content up to 0.4 % by weight
6(c)	Copper alloy containing up to 4% lead by weight

7(a)	Lead in high melting temperature type solders (i.e. lead based alloys containing 85% by weight or more lead)
7(c)-I	Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectric devices, or in a glass or ceramic matrix compound
7(c)-II	Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher
7(c)-IV	Lead in PZT based dielectric ceramic materials for capacitors being part of integrated circuits or discrete semiconductors'